





## Power Connector Sets (Table of Contents)








Power Connectors (crimp version) including gold contacts male or female

Connector for...	Male	Pos. Nr.	Amp.	Length mm	Cable dia. up to (mm)	Flange		O-ring radial/axial	Page Number	
	Female					square	round		from	to
Cable mount	F	6	26	60	14.5				A-01-01	
Cable mount	F	6	26	73	14.5				A-01-01	
Cable mount	F	6	30	64	14.5				A-01-01	A-01-02
Cable mount	F	6	30	75	18.0				A-01-02	
Cable mount	M	6	26	58	14.5				A-03-01	
Cable mount	M	6	26	71	14.5				A-03-01	
Cable mount	F	8	26	60	14.5				A-05-01	A-05-02
Cable mount	F	8	26	73	14.5				A-06-01	A-06-02
Cable mount	F	8	30	64	14.5				A-07-01	A-07-02
Cable mount	F	8	30	75	18.0				A-07-03	A-07-04
Cable mount	M	8	26	58	14.5				A-11-01	A-11-04
Cable mount	M	8	26	71	14.5				A-12-01	A-12-04
Panel mount	F	6	26			x		R	A-02-01	
Panel mount	M	6	26			x		A	A-04-01	
Panel mount	M	6	26			x		R	A-04-01	
Panel mount	M	6	26				x	A	A-04-01	
Panel mount	F	8	26			x		R	A-08-01	A-08-02
Panel mount	F	8	26			x		A	A-09-01	A-09-02
Panel mount	M	8	26			x		A	A-13-01	A-13-04
Panel mount	M	8	26			x		R	A-14-01	A-14-04
Panel mount	M	8	26				x	A	A-15-01	A-15-04








## Power Connector Sets 6 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8A80DU 6 pcs. female contacts RC-59S2000 (20-17AWG) <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5ES1N8A80DU-59S
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8A80DU 6 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5ES1N8A80DU-5CS
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8A80DU 6 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5ES1N8A80DU-5AS
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8A8LDU 6 pcs. female contacts RC-59S2000 (20-17AWG) <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5ES1N8A8LDU-59S
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8A8LDU 6 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5ES1N8A8LDU-5CS
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8A8LDU 6 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5ES1N8A8LDU-5AS
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A80DU 6 pcs. female contacts SF-7KS2000 (22-18AWG) <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-5ES1N8A80DU-7KS
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A80DU 6 pcs. female contacts SF-7NS2000 (18-16AWG) <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-5ES1N8A80DU-7NS
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A80DU 6 pcs. female contacts SF-7LS2000 (16-14AWG) <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-5ES1N8A80DU-7LS







## Power Connector Sets 6 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A80DU 6 pcs. female contacts SF-7MS2000 (12AWG) <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-5ES1N8A80DU-7MS
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A8LDL 6 pcs. female contacts SF-7KS2000 (22-18AWG) <b>Long-Power-Version - 30Amp. - 75 mm long</b> For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-5ES1N8A8LDL-7KS
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A8LDL 6 pcs. female contacts SF-7NS2000 (18-16AWG) <b>Long-Power-Version - 30Amp. - 75 mm long</b> For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-5ES1N8A8LDL-7NS
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A8LDL 6 pcs. female contacts SF-7LS2000 (16-14AWG) <b>Long-Power-Version - 30Amp. - 75 mm long</b> For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-5ES1N8A8LDL-7LS
	Connector Set consist of... 1 pcs. Connector SF-5ES1N8A8LDL 6 pcs. female contacts SF-7MS2000 (12AWG) <b>Long-Power-Version - 30Amp. - 75 mm long</b> For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-5ES1N8A8LDL-7MS







## Power Connector Sets 6 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8AYA00 6 pcs. female contacts RC-59S2000 (20-17AWG) <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-5ES1N8AYA00-59S
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8AYA00 6 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-5ES1N8AYA00-5CS
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8AYA00 6 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-5ES1N8AYA00-5AS
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8AYB00 6 pcs. female contacts RC-59S2000 (20-17AWG) <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-5ES1N8AYB00-59S
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8AYB00 6 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-5ES1N8AYB00-5CS
	Connector Set consist of... 1 pcs. Connector SC-5ES1N8AYB00 6 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-5ES1N8AYB00-5AS










## Power Connector Sets 6 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-5EP1N8A90DU 6 pcs. male contacts SC-79P2000 (20-17AWG) <b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5EP1N8A90DU-79P
	Connector Set consist of... 1 pcs. Connector SC-5EP1N8A90DU 6 pcs. male contacts SC-7CP2000 (17-16AWG) <b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5EP1N8A90DU-7CP
	Connector Set consist of... 1 pcs. Connector SC-5EP1N8A90DU 6 pcs. male contacts SC-7AP2000 (16-14AWG) <b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5EP1N8A90DU-7AP
	Connector Set consist of... 1 pcs. Connector SC-5EP1N8A9LDU 6 pcs. male contacts SC-79P2000 (20-17AWG) <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5EP1N8A9LDU-79P
	Connector Set consist of... 1 pcs. Connector SC-5EP1N8A9LDU 6 pcs. male contacts SC-7CP2000 (17-16AWG) <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5EP1N8A9LDU-7CP
	Connector Set consist of... 1 pcs. Connector SC-5EP1N8A9LDU 6 pcs. male contacts SC-7AP2000 (16-14AWG) <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-5EP1N8A9LDU-7AP


## Power Connector Sets 6 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8AWB00</p> <p>6 pcs. male contacts SC-79P2000 (20-17AWG)</p> <p><b>Square flange with O-ring axial</b></p> <p>4 holes 3.2 mm</p>	SC-5EP1N8AWB00-79P
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8AWB00</p> <p>6 pcs. male contacts SC-7CP2000 (17-16AWG)</p> <p><b>Square flange with O-ring axial</b></p> <p>4 holes 3.2 mm</p>	SC-5EP1N8AWB00-7CP
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8AWB00</p> <p>6 pcs. male contacts SC-7AP2000 (16-14AWG)</p> <p><b>Square flange with O-ring axial</b></p> <p>4 holes 3.2 mm</p>	SC-5EP1N8AWB00-7AP
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8AWA00</p> <p>6 pcs. male contacts SC-79P2000 (20-17AWG)</p> <p><b>Square flange with O-ring radial</b></p> <p>4 holes 3.2 mm</p>	SC-5EP1N8AWA00-79P
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8AWA00</p> <p>6 pcs. male contacts SC-7CP2000 (17-16AWG)</p> <p><b>Square flange with O-ring radial</b></p> <p>4 holes 3.2 mm</p>	SC-5EP1N8AWA00-7CP
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8AWA00</p> <p>6 pcs. male contacts SC-7AP2000 (16-14AWG)</p> <p><b>Square flange with O-ring radial</b></p> <p>4 holes 3.2 mm</p>	SC-5EP1N8AWA00-7AP
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8A6300</p> <p>6 pcs. male contacts SC-79P2000 (20-17AWG)</p> <p><b>Round flange, with O-ring axial, PG 13.5</b></p> <p>Optional lock nut: GH-780.1300.0</p>	SC-5EP1N8A6300-79P
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8A6300</p> <p>6 pcs. male contacts SC-7CP2000 (17-16AWG)</p> <p><b>Round flange, with O-ring axial, PG 13.5</b></p> <p>Optional lock nut: GH-780.1300.0</p>	SC-5EP1N8A6300-7CP
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-5EP1N8A6300</p> <p>6 pcs. male contacts SC-7AP2000 (16-14AWG)</p> <p><b>Round flange, with O-ring axial, PG 13.5</b></p> <p>Optional lock nut: GH-780.1300.0</p>	SC-5EP1N8A6300-7AP








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-59S2000 (20-17AWG) <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-459S
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-45CS
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-45AS
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-6R59
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-6R5C
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-6L59
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-6K59
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A80DU 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Short-Standard-Version - 26Amp. - 60 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A80DU-675C





## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-7ES1N8A80DU</p> <p>4 pcs. female contacts RC-6KS2000 (20-18AWG) data</p> <p>4 pcs. female contacts RC-5CS2000 (17-16AWG) power</p> <p><b>Short-Standard-Version - 26Amp. - 60 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7ES1N8A80DU-6K5C
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-7ES1N8A80DU</p> <p>4 pcs. female contacts RC-67S2000 (18-17AWG) data</p> <p>4 pcs. female contacts RC-59S2000 (20-17AWG) power</p> <p><b>Short-Standard-Version - 26Amp. - 60 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7ES1N8A80DU-6759
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-7ES1N8A80DU</p> <p>4 pcs. female contacts RC-67S2000 (18-17AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p><b>Short-Standard-Version - 26Amp. - 60 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7ES1N8A80DU-675A
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-7ES1N8A80DU</p> <p>4 pcs. female contacts RC-6LS2000 (22-20AWG) data</p> <p>4 pcs. female contacts RC-5CS2000 (17-16AWG) power</p> <p><b>Short-Standard-Version - 26Amp. - 60 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7ES1N8A80DU-6L5C
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-7ES1N8A80DU</p> <p>4 pcs. female contacts RC-6LS2000 (22-20AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p><b>Short-Standard-Version - 26Amp. - 60 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7ES1N8A80DU-6L5A
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-7ES1N8A80DU</p> <p>4 pcs. female contacts RC-6KS2000 (20-18AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p><b>Short-Standard-Version - 26Amp. - 60 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7ES1N8A80DU-6K5A
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SC-7ES1N8A80DU</p> <p>4 pcs. female contacts RC-6RS2000 (28-24AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p><b>Short-Standard-Version - 26Amp. - 60 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7ES1N8A80DU-6R5A








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-59S2000 (20-17AWG) <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-459S
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-45CS
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-45AS
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6R59
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6R5C
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6L59
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6K59
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-675C








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6K5C
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6759
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-675A
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6L5C
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6L5A
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6K5A
	Connector Set consist of... 1 pcs. Connector SC-7ES1N8A8LDU 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Long-Standard-Version - 26Amp. - 73 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7ES1N8A8LDU-6R5A








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-7NS2000 (18-16AWG) <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-47NS
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-7LS2000 (16-14AWG) <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-47LS
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-7MS2000 (12AWG) <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-47MS
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-6CS2000 (26-22AWG) data 4 pcs. female contacts SF-7NS2000 (18-16AWG) power <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-6C7N
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-6CS2000 (26-22AWG) data 4 pcs. female contacts SF-7LS2000 (16-14AWG) power <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-6C7L
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-6CS2000 (26-22AWG) data 4 pcs. female contacts SF-7MS2000 (12AWG) power <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-6C7M
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-6ES2000 (22-20AWG) data 4 pcs. female contacts SF-7NS2000 (18-16AWG) power <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-6E7N
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A80DU 4 pcs. female contacts SF-6ES2000 (22-20AWG) data 4 pcs. female contacts SF-7LS2000 (16-14AWG) power <b>Short-Power-Version - 30Amp. - 64 mm long</b> For cable dia. 7.5 - 14.5 mm (.29-.57 in.)	SF-7ES1N8A80DU-6E7L




## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A80DU</p> <p>4 pcs. female contacts SF-6ES2000 (22-20AWG) data</p> <p>4 pcs. female contacts SF-7MS2000 (12AWG) power</p> <p><b>Short-Power-Version - 30Amp. - 64 mm long</b></p> <p>For cable dia. 7.5 - 14.5 mm (.29-.57 in.)</p>	SF-7ES1N8A80DU-6E7M
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A80DU</p> <p>4 pcs. female contacts SF-6DS2000 (20-17AWG) data</p> <p>4 pcs. female contacts SF-7NS2000 (18-16AWG) power</p> <p><b>Short-Power-Version - 30Amp. - 64 mm long</b></p> <p>For cable dia. 7.5 - 14.5 mm (.29-.57 in.)</p>	SF-7ES1N8A80DU-6D7N
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A80DU</p> <p>4 pcs. female contacts SF-6DS2000 (20-17AWG) data</p> <p>4 pcs. female contacts SF-7LS2000 (16-14AWG) power</p> <p><b>Short-Power-Version - 30Amp. - 64 mm long</b></p> <p>For cable dia. 7.5 - 14.5 mm (.29-.57 in.)</p>	SF-7ES1N8A80DU-6D7L
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A80DU</p> <p>4 pcs. female contacts SF-6DS2000 (20-17AWG) data</p> <p>4 pcs. female contacts SF-7MS2000 (12AWG) power</p> <p><b>Short-Power-Version - 30Amp. - 64 mm long</b></p> <p>For cable dia. 7.5 - 14.5 mm (.29-.57 in.)</p>	SF-7ES1N8A80DU-6D7M
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A80DU</p> <p>4 pcs. female contacts SF-6FS2000 (17-16AWG) data</p> <p>4 pcs. female contacts SF-7NS2000 (18-16AWG) power</p> <p><b>Short-Power-Version - 30Amp. - 64 mm long</b></p> <p>For cable dia. 7.5 - 14.5 mm (.29-.57 in.)</p>	SF-7ES1N8A80DU-6F7N
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A80DU</p> <p>4 pcs. female contacts SF-6FS2000 (17-16AWG) data</p> <p>4 pcs. female contacts SF-7LS2000 (16-14AWG) power</p> <p><b>Short-Power-Version - 30Amp. - 64 mm long</b></p> <p>For cable dia. 7.5 - 14.5 mm (.29-.57 in.)</p>	SF-7ES1N8A80DU-6F7L
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A80DU</p> <p>4 pcs. female contacts SF-6FS2000 (17-16AWG) data</p> <p>4 pcs. female contacts SF-7MS2000 (12AWG) power</p> <p><b>Short-Power-Version - 30Amp. - 64 mm long</b></p> <p>For cable dia. 7.5 - 14.5 mm (.29-.57 in.)</p>	SF-7ES1N8A80DU-6F7M








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-7NS2000 (18-16AWG) Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-47NS
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-7LS2000 (16-14AWG) Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-47LS
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-7MS2000 (12AWG) Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-47MS
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-6CS2000 (26-22AWG) data 4 pcs. female contacts SF-7NS2000 (18-16AWG) power Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-6C7N
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-6CS2000 (26-22AWG) data 4 pcs. female contacts SF-7LS2000 (16-14AWG) power Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-6C7L
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-6CS2000 (26-22AWG) data 4 pcs. female contacts SF-7MS2000 (12AWG) power Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-6C7M
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-6ES2000 (22-20AWG) data 4 pcs. female contacts SF-7NS2000 (18-16AWG) power Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-6E7N
	Connector Set consist of... 1 pcs. Connector SF-7ES1N8A8LDL 4 pcs. female contacts SF-6ES2000 (22-20AWG) data 4 pcs. female contacts SF-7LS2000 (16-14AWG) power Long-Power-Version - 30Amp. - 75 mm long For cable dia. 7.5 - 18 mm (.29-.70 in.)	SF-7ES1N8A8LDL-6E7L









## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A8LDL</p> <p>4 pcs. female contacts SF-6ES2000 (22-20AWG) data</p> <p>4 pcs. female contacts SF-7MS2000 (12AWG) power</p> <p><b>Long-Power-Version - 30Amp. - 75 mm long</b></p> <p>For cable dia. 7.5 - 18 mm (.29-.70 in.)</p>	SF-7ES1N8A8LDL-6E7M
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A8LDL</p> <p>4 pcs. female contacts SF-6DS2000 (20-17AWG) data</p> <p>4 pcs. female contacts SF-7NS2000 (18-16AWG) power</p> <p><b>Long-Power-Version - 30Amp. - 75 mm long</b></p> <p>For cable dia. 7.5 - 18 mm (.29-.70 in.)</p>	SF-7ES1N8A8LDL-6D7N
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A8LDL</p> <p>4 pcs. female contacts SF-6DS2000 (20-17AWG) data</p> <p>4 pcs. female contacts SF-7LS2000 (16-14AWG) power</p> <p><b>Long-Power-Version - 30Amp. - 75 mm long</b></p> <p>For cable dia. 7.5 - 18 mm (.29-.70 in.)</p>	SF-7ES1N8A8LDL-6D7L
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A8LDL</p> <p>4 pcs. female contacts SF-6DS2000 (20-17AWG) data</p> <p>4 pcs. female contacts SF-7MS2000 (12AWG) power</p> <p><b>Long-Power-Version - 30Amp. - 75 mm long</b></p> <p>For cable dia. 7.5 - 18 mm (.29-.70 in.)</p>	SF-7ES1N8A8LDL-6D7M
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A8LDL</p> <p>4 pcs. female contacts SF-6FS2000 (17-16AWG) data</p> <p>4 pcs. female contacts SF-7NS2000 (18-16AWG) power</p> <p><b>Long-Power-Version - 30Amp. - 75 mm long</b></p> <p>For cable dia. 7.5 - 18 mm (.29-.70 in.)</p>	SF-7ES1N8A8LDL-6F7N
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A8LDL</p> <p>4 pcs. female contacts SF-6FS2000 (17-16AWG) data</p> <p>4 pcs. female contacts SF-7LS2000 (16-14AWG) power</p> <p><b>Long-Power-Version - 30Amp. - 75 mm long</b></p> <p>For cable dia. 7.5 - 18 mm (.29-.70 in.)</p>	SF-7ES1N8A8LDL-6F7L
	<p>Connector Set consist of...</p> <p>1 pcs. Connector SF-7ES1N8A8LDL</p> <p>4 pcs. female contacts SF-6FS2000 (17-16AWG) data</p> <p>4 pcs. female contacts SF-7MS2000 (12AWG) power</p> <p><b>Long-Power-Version - 30Amp. - 75 mm long</b></p> <p>For cable dia. 7.5 - 18 mm (.29-.70 in.)</p>	SF-7ES1N8A8LDL-6F7M








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-59S2000 (20-17AWG) <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-459S
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-45CS
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-45AS
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6R59
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6R5C
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6L59
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6K59
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-675C









## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6K5C
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6759
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-675A
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6L5C
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6L5A
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6K5A
	Connector Set consist of... 1 Connector SC-7ES1N8AYA00 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-5AS2000 (16-14AWG) power <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7ES1N8AYA00-6R5A








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-59S2000 (20-17AWG) <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-459S
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-5CS2000 (17-16AWG) <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-45CS
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-5AS2000 (16-14AWG) <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-45AS
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-6R59
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-6RS2000 (28-24AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-6R5C
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-6LS2000 (22-20AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-6L59
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-6KS2000 (20-18AWG) data 4 pcs. female contacts RC-59S2000 (20-17AWG) power <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-6K59
	Connector Set consist of... 1 Connector SC-7ES1N8AYB00 4 pcs. female contacts RC-67S2000 (18-17AWG) data 4 pcs. female contacts RC-5CS2000 (17-16AWG) power <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7ES1N8AYB00-675C








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <p>1 Connector SC-7ES1N8AYB00</p> <p>4 pcs. female contacts RC-6KS2000 (20-18AWG) data</p> <p>4 pcs. female contacts RC-5CS2000 (17-16AWG) power</p> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	SC-7ES1N8AYB00-6K5C
	<p>Connector Set consist of...</p> <p>1 Connector SC-7ES1N8AYB00</p> <p>4 pcs. female contacts RC-67S2000 (18-17AWG) data</p> <p>4 pcs. female contacts RC-59S2000 (20-17AWG) power</p> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	SC-7ES1N8AYB00-6759
	<p>Connector Set consist of...</p> <p>1 Connector SC-7ES1N8AYB00</p> <p>4 pcs. female contacts RC-67S2000 (18-17AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	SC-7ES1N8AYB00-675A
	<p>Connector Set consist of...</p> <p>1 Connector SC-7ES1N8AYB00</p> <p>4 pcs. female contacts RC-6LS2000 (22-20AWG) data</p> <p>4 pcs. female contacts RC-5CS2000 (17-16AWG) power</p> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	SC-7ES1N8AYB00-6L5C
	<p>Connector Set consist of...</p> <p>1 Connector SC-7ES1N8AYB00</p> <p>4 pcs. female contacts RC-6LS2000 (22-20AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	SC-7ES1N8AYB00-6L5A
	<p>Connector Set consist of...</p> <p>1 Connector SC-7ES1N8AYB00</p> <p>4 pcs. female contacts RC-6KS2000 (20-18AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	SC-7ES1N8AYB00-6K5A
	<p>Connector Set consist of...</p> <p>1 Connector SC-7ES1N8AYB00</p> <p>4 pcs. female contacts RC-6RS2000 (28-24AWG) data</p> <p>4 pcs. female contacts RC-5AS2000 (16-14AWG) power</p> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	SC-7ES1N8AYB00-6R5A







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG)</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-7S7U
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG)</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-797W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG)</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-7C7X
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG)</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-7A7V
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-43SU
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-439W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-43CX







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-43AV
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-46SU
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-469W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-46CX
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-46AV
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-4DSU


## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-4D9W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-4DCX
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-4DAV
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-47SU
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU-479W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p><b>Short-Standard-Version - 26Amp. - 58 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A90DU47CX








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A90DU</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p>Short-Standard-Version - 26Amp. - 58 mm long For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	<p>SC-7EP1N8A90DU-47AV</p>







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG)</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A9LDU-7S7U
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG)</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A9LDU-797W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG)</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A9LDU-7C7X
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG)</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A9LDU-7A7V
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A9LDU-43SU
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A9LDU-439W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	SC-7EP1N8A9LDU-43CX







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-43AV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-46SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-469W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-46CX
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-46AV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-4DSU


## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-4D9W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-4DCX
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-4DAV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-47SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU-479W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A9LDU 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Long-Standard-Version - 26Amp. - 71 mm long</b> For cable dia. 4 - 14.5 mm (.15-.57 in.)	SC-7EP1N8A9LDU47CX








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A9LDU</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p><b>Long-Standard-Version - 26Amp. - 71 mm long</b></p> <p>For cable dia. 4 - 14.5 mm (.15-.57 in.)</p>	<p>SC-7EP1N8A9LDU-47AV</p>







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 3 pcs. male contacts SC-7SP2000 (20-18AWG) 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-7S7U
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 3 pcs. male contacts SC-79P2000 (20-17AWG) 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-797W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 3 pcs. male contacts SC-7CP2000 (17-16AWG) 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-7C7X
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 3 pcs. male contacts SC-7AP2000 (16-14AWG) 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-7A7V
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-43SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-439W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-43CX







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-43AV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-46SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-469W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-46CX
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-46AV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-4DSU


## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-4D9W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-4DCX
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-4DAV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-47SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB00-479W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWB00 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring axial</b> 4 holes 3.2 mm	SC-7EP1N8AWB0047CX








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8AWB00</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p>Square flange with O-ring axial</p> <p>4 holes 3.2 mm</p>	<p>SC-7EP1N8AWB00-47AV</p>







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 3 pcs. male contacts SC-7SP2000 (20-18AWG) 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-7S7U
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 3 pcs. male contacts SC-79P2000 (20-17AWG) 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-797W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 3 pcs. male contacts SC-7CP2000 (17-16AWG) 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-7C7X
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 3 pcs. male contacts SC-7AP2000 (16-14AWG) 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-7A7V
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-43SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-439W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-43CX







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-43AV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-46SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-469W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-46CX
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-46P2000 (22-20AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-46AV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-4DSU


## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-4D9W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-4DCX
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-4DP2000 (20-18AWG) data 3 pcs. male contacts SC-7AP2000 (16-14AWG) power 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-4DAV
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-47SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA00-479W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8AWA00 4 pcs. male contacts RC-47P2000 (18-17AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>Square flange with O-ring radial</b> 4 holes 3.2 mm	SC-7EP1N8AWA0047CX








## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8AWA00</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p>Square flange with O-ring radial</p> <p>4 holes 3.2 mm</p>	<p>SC-7EP1N8AWA00-47AV</p>







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A6300 3 pcs. male contacts SC-7SP2000 (20-18AWG) 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>round flange with PG 13.5 thread</b> Optional lock nut: GH-780.1300.0	SC-7EP1N8A6300-7S7U
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A6300 3 pcs. male contacts SC-79P2000 (20-17AWG) 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>round flange with PG 13.5 thread</b> Optional lock nut: GH-780.1300.0	SC-7EP1N8A6300-797W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A6300 3 pcs. male contacts SC-7CP2000 (17-16AWG) 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>round flange with PG 13.5 thread</b> Optional lock nut: GH-780.1300.0	SC-7EP1N8A6300-7C7X
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A6300 3 pcs. male contacts SC-7AP2000 (16-14AWG) 1 pcs. male contact SC-7VP2000 (16-14AWG) PE <b>round flange with PG 13.5 thread</b> Optional lock nut: GH-780.1300.0	SC-7EP1N8A6300-7A7V
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A6300 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7SP2000 (20-18AWG) power 1 pcs. male contact SC-7UP2000 (20-18AWG) PE <b>round flange with PG 13.5 thread</b> Optional lock nut: GH-780.1300.0	SC-7EP1N8A6300-43SU
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A6300 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-79P2000 (20-17AWG) power 1 pcs. male contact SC-7WP2000 (18-17AWG) PE <b>round flange with PG 13.5 thread</b> Optional lock nut: GH-780.1300.0	SC-7EP1N8A6300-439W
	Connector Set consist of... 1 pcs. Connector SC-7EP1N8A6300 4 pcs. male contacts RC-43P2000 (26-22AWG) data 3 pcs. male contacts SC-7CP2000 (17-16AWG) power 1 pcs. male contact SC-7XP2000 (17-16AWG) PE <b>round flange with PG 13.5 thread</b> Optional lock nut: GH-780.1300.0	SC-7EP1N8A6300-43CX







## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-43P2000 (26-22AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-43AV
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-46SU
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-469W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-46CX
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-46P2000 (22-20AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-46AV
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-4DSU


## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-4D9W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-4DCX
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-4DP2000 (20-18AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-4DAV
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7SP2000 (20-18AWG) power</li> <li>1 pcs. male contact SC-7UP2000 (20-18AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-47SU
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-79P2000 (20-17AWG) power</li> <li>1 pcs. male contact SC-7WP2000 (18-17AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-479W
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7CP2000 (17-16AWG) power</li> <li>1 pcs. male contact SC-7XP2000 (17-16AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	SC-7EP1N8A6300-47CX

## Power Connector Sets 8 positions

For the exact description of the Power Connectors please see the Coninvers Catalog (SC-Connectors)

Figure	Description	Part Number
	<p>Connector Set consist of...</p> <ul style="list-style-type: none"> <li>1 pcs. Connector SC-7EP1N8A6300</li> <li>4 pcs. male contacts RC-47P2000 (18-17AWG) data</li> <li>3 pcs. male contacts SC-7AP2000 (16-14AWG) power</li> <li>1 pcs. male contact SC-7VP2000 (16-14AWG) PE</li> </ul> <p>round flange with PG 13.5 thread</p> <p>Optional lock nut: GH-780.1300.0</p>	<p>SC-7EP1N8A6300-47AV</p>